Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	758	random adj access with slot?	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:24
L2	341	random adj access with slot? and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:25
Ĺ3	341	random adj access with slot? and @ad<"19990520"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:25
L4 .	91	random adj access with slot? same (mobile terminal) and @ad<"19990520"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:25
L5	0	random adj access adj 2slot? same (mobile terminal) and @ad<"19990520"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:26
L6	13	random adj access adj2 slot? same (mobile terminal) and @ad<"19990520"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:26
L7	3	allowed adj access adj slot	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ÖFF	2008/02/29 18:33
L8	1	random adj access with (candidat\$3 allow\$3) adj2 slot? same (mobile terminal) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:35
L9	4	random adj access with (candidat\$3 allow\$3) adj2 slot? and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:36
L10	15	random adj access with slot? with (probabili\$3 parameter value) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:38
L11	22	random adj access with slot? with RACH and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:41

L12	341	random adj access with slot? and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:44
L13	42	random adj access with slot? and @ad<"19990526" and rach	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/02/29 18:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	4	LEAST WITH (PRONE AND ERROR) AND ((IDENTIF\$6 AND (SELECT\$4 CHOOS\$4)) WITH (TRANSMI\$6 AND (PACKET NEAR\$3 TYPE))) AND (DETERMIN\$4 WITH (AVAILABLE ADJ\$3 SLOT)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:00
L4		(DH\$1 AND DM\$1) WITH (POWER ADJ\$2 LOW ADJ\$3 MODE).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:00
L5	0	((DH\$1 AND DM\$1) WITH SLOT) WITH (POWER ADJ\$2 LOW ADJ\$3 MODE).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:01
L6	1	((DH\$1 AND DM\$1) WITH SLOT). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:01
L7	0	3 AND (1 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:02
L8	5	(("20020061031") or ("6704346")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/29 17:39
Ŀ9	2	(("20020061031") or ("6704346")). PN.	US-PGPUB; USPAT	OR	OFF	2008/02/29 17:39
L10	18	("4479215" "5428815" "5444696" "5574979" "5657358" "5687194" "5710762" "5734678" "5737359" "5754947" "5784402" "5852604" "5875180" "5884171" "5937002" "5946624" "6032046" "6249540").PN.	US-PGPUB; USPAT; USOCR	OR	ON .	2008/02/29 17:39
L11	1386	(rach with (random with access))	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:47
L12	1377	(rach with (random with access)) with channel	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:47

L13	2	determin\$4 with allow\$4 with slot with 12	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:48
L14	2	dm\$1 with rach	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L15	1328	dm\$1 with slot	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L16	3	15 and 12	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L17	1	("6195534").PN.	US-PGPUB; USPAT; USOCR	OR .	ON	2008/02/29 17:50
L18	5	("4615040" "4881241" "5191576" "5274629" "5828650").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:51
L19	8761	(determin\$4 monitor\$4 detect\$4) with (allow\$4 assign\$4 allocat\$4) with slot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:52
L20	115	19 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:53
L21	17	20 and @rlad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2008/02/29 17:53